



GIANT RUBBER GREASE

HIGH MELT CLAY-THICKENED RUBBER GREASE NLGI 2

DESCRIPTION

GIANT RUBBER GREASE is a premium quality clay-thickened grease formulated with Castor Oil to provide outstanding performance in a wide range of automotive and industrial applications where contact with natural and/or synthetic rubber components is required or likely. Unlike mineral oil-based greases, the Castor Oil component of GIANT RUBBER GREASE means that it will not adversely affect rubber parts therefore preventing excessive softening or hardening. By its very nature, Castor Oil exhibits excellent lubricity and corrosion prevention properties. A food grade antioxidant is included in the formulation to maximize in-service and storage life.

The state-of-the-art equipment and procedures employed to manufacture GIANT RUBBER GREASE result in the grease having a high degree of mechanical and storage stability. It will not breakdown under high mechanical stress. In storage, it will not alter consistency nor release oil.

BENEFITS

- Compatible with natural & synthetic rubbers
- Excellent lubricity
- Protects against rust and corrosion
- Easy to apply
- Ingredients are environmentally friendly
- Outstanding storage stability

TYPICAL APPLICATIONS

GIANT RUBBER GREASE is recommended as a general purpose, parts and environmentally friendly grease for automotive, industrial and consumer parts or components, consisting of natural or synthetic rubber. These include hydraulic dust covers, braking system components, seals, washers, stoppers etc. The recommended operating temperature range is from -9 °C to 80 °C.

TYPICAL PROPERTIES

NLGI	2
Soap/Thickener Type	Clay
Color	Red
Worked Penetration	280
Dropping Point, °C	275
Oil Viscosity cSt @ 40 °C	315
Flash Point, °C	230